Author Index, Volume 18

Abbe, G. R., 445
Able, K. W., 379
Armstrong, D. A., 390
Aure, J., 81

Baker, B. M., 482
Blum, L. K., 545, 648
Bonnevie, N. L., 351
Boynton, W. R., 285
Brinson, M. M., 648
Browdy, C. L., 25, 116
Burkholder, J. M., 373

Caffrey, J. M., 219
Chambers, R. M., 518, 568
Christian, R. R., 648
Czerny, A. B., 418

Daehler, C. C., 409
Dankers, N., 71
Darnell, R. M., 255
Day, J. W., Jr., 636
deFur, P. L., 2
DeLaune, R. D., 207
DeVoe, M. R., 25
Dinnel, P. A., 390
Dunton, K. H., 271, 418

Endres, K. M., 428
Ervik, A., 81

Fahay, M. P., 379
Felder, D. L., 469
Findlay, R. H., 145
Fourqurean, J. W., 518
Frankovich, T. A., 279
Fresh, K. L., 43
Fridley, R. B., 18
Fritz, B., 456

Garber, J. H., 285
Garvine, R. W., 509
Gaston, G. R., 316
Glasgow, H. B., Jr., 373
Go, M. C., 399
Grant, J., 124

Hamilton, R. D., II, 116
Harrel, R. C., 264
Harvey, J. W., 568
Hastings, R. W., 1
Hatcher, A., 124
Havens, K. J., 319, 326
Healey, M., 317
Heck, K. L., Jr., 379
Heffernan, J. A., III, 116
Heinle, D. R., 1
Hensel, P. F., 636
Herke, W. H., 10
Hershner, C., 326
Hoelscher, J. R., 568
Hoese, H. D., 180
Holland, A. F., 25
Hollibaugh, J. T., 518
Hopkins, J. S., 25, 116
Hopkinson, C. S., Jr., 598
Houde, E. D., 527
Howard, J. H., 482
Hung, J.-J., 234
Huntley, S. L., 351

Ibañez, C., 636

Jay, D. J., 432
Jesien, R. V., 373
Johannessen, P., 81

Kana, T. M., 373
Kemp, W. M., 285
Konikoff, M., 180
Kuo, A. Y., 341

Lefaivre, D., 433
Legendre, L., 433
Lemoalle, J., 456
Levings, C. D., 81
Lewitus, A. J., 373
Limburg, K. E., 335
Lochmann, S. E., 255
Lucas, C. H., 362

May, E., 373
Mayer, L. M., 145
McConnell, M. A., 264
McEachran, J. D., 255
McIvor, C. C., 591
McMillan, R. O., 390
Morgan, R. P., II, 482
Morris, J. T., 556
Mouton, E. C., Jr., 469

Newell, S. Y., 241
Nittrouer, C. A., 494
Nyman, J. A., 207

Odum, E. P., 547
Odum, H. T., 547
Odum, W. E., 547

Paerl, H. W., 399
Pagès, J., 456
Painchaud, J., 433
Park, K., 341
Patrick, W. H., Jr., 207
Paustenbach, D. J., 351
Penas-Lado, E., 622
Pezeshki, S. R., 207
Pocklington, P., 124
Pont, D., 636
Proffitt, E., 315

Rader, D. N., 2
Riedel, G. F., 445
Roman, C. T., 379
Ross, R. M., 335
Rozas, L. P., 579

Sanders, J. G., 445
Sandifer, P. A., 25
Schafer, C. T., 124
Scott, D. B., 124
Secor, D. H., 527
Shaheen, P. A., 250
Sheader, M., 362
Shy, C.-P., 234
Simenstad, C. A., 43, 432
Simon, R. H., 199
Simon, R. M., 199
Smith, T. J., III, 591
Steimle, F. W., 250
Stokes, A. D., 25
Strong, D. R., 409
Su, S. H., 351
Summers, R., 285

Therriault, J.-C., 433
Thompson, D. S., 91
Thompson, S. P., 399
Tomasko, D. A., 271
Tsutsumi, H., 108

Vallino, J. J., 598
Varnell, L. M., 319, 326
Vink, S. M., 518

Wasowski, J., 241
Watling, L., 145
Wenning, R. J., 351
Wicker, A. M., 428
Wiegert, R. G., 622
Williams, D. W., 362
Williams, J. A., 362
Winters, G. V., 124
Wiseman, W. J., Jr., 509
Wright, L. D., 494

Zieman, J. C., 279
Zuidema, D. R., 71

© 1995 Estuarine Research Federation

0160-8347/95/04661-01$01.50/0

Estuaries Vol. 18, No. 4, p. 662–665 December 1995

Subject Index, Volume 18

2,3,7,8-tetrachlorodibenzo-para-dioxin, 264

aboveground biomass, 271
abundance, 379
Acartia hudsonica, 250
Acartia sp., 43
Acartia tonsa, 250
accretion, 351, 636
acetylene block technique, 399
acid-volatile sulfides, 108
Acrenhydrosoma karlingi, 43
adenylate kinase, 482
advective transport, 622
agriculturization, 598
Alaska Coastal Current, 509
aldolase, 482
allochthonous organic matter, 598
Alosa sapidissima, 335
Amazon River, 494
Ameira longipes, 43
Ameira sp., 43
American shad, 335
ammonia, 341, 399, 418
ammonium concentrations, 219
Amonardia normani, 43
Amphiascoides sp. A, 43
Amphiascus sp., 43
amphipods, 91, 379
Anas acuta, 428
Anas americana, 428
Anas crecca, 428
Anas platyrhynchos, 428
Anas rubripes, 428
Anchoa mitchilli, 326, 482
Anisogammarus pugettensis, 43
annual production, 362
anthropogenic disturbance, 43
anthropogenic effects, 71, 598
aquaculture, 1, 2, 18, 25, 43, 108, 124
Aratus pisonii, 591
Argopecten irradians, 379
aspartate aminotransferase, 482
astronomical tides, 579
Atchafalaya River, Louisiana, 509
Atlantic Coast, 579
Atlantic croaker, 319, 326
Atlantic Flyway, 428
Atlantic silverside, 326
atmospheric sources, 285
Atriplex tridentata, 591
attached bacteria, 433
Aurelia aurita, 362
autotrophs, 418
Aythya collaris, 428
Aythya valisneria, 428

bacterial distribution, 433
Balanus sp., 91
bay anchovy, 326, 482
bay scallops, 379
benthic, 91
benthic carbon flux, 145
benthic communities, 43, 124, 145
benthic environment, 145
benthic fauna, 108
benthic fishes, 43
benthos, 579, 648
bioassay, 373
biochemical oxygen demand, 116
biodiversity, 547
biogeochemical cycling, 568
biogeochemical reactions, 518
biomass, 207, 271, 379, 469, 622
biota entrainment, 25
biotic pulsing, 547
biotransformation, 285
bird populations, 71
bivalves, 379
blue crab, 326
blue mussels, 379
bottom shading, 648
Branta canadensis, 428
Brevoortia tyrannus, 326
British Columbia, Canada, 81
Bryocamptus sp., 43
burrowing shrimp, 43

calanoid copepod, 250
Calanus finmarchicus, 250
Calanus minor, 250
Calcasieu Lake, Louisiana, 180
Callinectes megalopae, 255
Callinectes sapidus, 326
Canada geese, 428
Cancer magister, 390
canvasbacks, 428
Cape Cod, Massachusetts, 379
Caprella laeviuscula, 43
carapace width, 469
carbon, 456
carbonate budgets, 279
Casamance Estuary, Senegal, 456
Centropages abdominalis, 43
Centropages brady, 250
Centropages hamatus, 250
Centropages typicus, 250
cesium-137, 351
Chalk Point Steam Electric Station, 445
changes in ecosystem state, 648
Changjiang River, Asia, 494
Chen caerulescens, 428
Chesapeake Bay, 199, 326, 341, 373, 482, 527
chlorinated hydrocarbons
chlorophyll, 418
chlorophyll *a*, 341
Choptank River, Maryland, 285
clams, 18, 43, 264
climatological effects, 579
Clistoesloma merguiense, 591
Clytia hemisphaerica, 362
coastal currents, 509
coastal energy regime, 494
coastal geomorphology, 579
coastal plain estuaries, 341
coastal sea, 494
Columbia River, North America, 494
community metabolism, 598
community structure, 547, 556
copepod communities, 250
copper, 445
cordgrass, 207
Corophium sp., 43
Corophium spp., 43
Corpus Christi Bay, Texas, 418
crab abundance, 319
crab fauna, 591
crab larvae, 255
crabs, 43
Crangon sp., 91
Crassostrea virginica, 445
creatine kinase, 482
croaker, 180
Cumella vulgaris, 43
currents, 81
Currituck Sound, North Carolina, 428
Cynoscion regalis, 319, 326

dabbling ducks, 428
Dactylopusia sp., 43
Dactylopusia vulgaris, 43
daily variability, 326
Danielssenia sp., 43
data standardization, 319
dating sediments, 351
decapods, 379
decomposition, 207, 241, 591, 648
deforestation, 598
Delaware River, 335
deltas, 636
demersal fishes, 43
denitrification, 399
Diarthrodes sp., 43
dibenzo-para-dioxins, 264
dibenzofurans, 264
diffuse sources, 285
dinoflagellate, 373
dioxins, 264
dissolved ammonium, 568
dissolved inorganic phosphorus, 518
dissolved inorganic carbon, 456
dissolved minerals, 234
dissolved nitrogen, 285
dissolved organic carbon, 234, 456
dissolved oxygen, 81, 234, 341, 379
dissolved phosphorus, 285
disturbance, 43
Dorosoma cepedianum, 326
Dorosoma petenense, 326
Dungeness crab, 390
Dutch Wadden Sea, 71

East Coast, United States, 199
eastern oyster, 445
ecological criteria, 81
ecosystem metabolism, 518
eelgrass, 390
eelgrass meadow, 379

© 1995 Estuarine Research Federation

0160-8347/95/04662-04$01.50/0

effluent quality, 116
egg production, 527
environmental impacts, 25
environmental management, 18
Environmental Monitoring and Assessment Program, 2
epibenthic communities, 43
epibenthic organisms, 145
epiphytic carbonate, 279
Erhjen estuary, Taiwan, 234
Erhjen River, Taiwan, 234
estuarine bivalves, 445
estuarine model, 598
estuarine modeling, 341
Estuarine Research Reserve, 2
Eurytemora affinis, 250
Eurytemora americana, 43, 250
Eurytemora herdmani, 250
Eurytium limosum, 591
eutrophication, 25, 285
evapotranspiration, 556
export, 518

faunal responses, 124
feed management, 116
Fence Lake, Texas, 264
fiddler crabs, 469
fish abundance, 319
fish farms, 81
fish kill, 373
fish net pen culture, 108
fisheries, 10, 43, 180, 482
flocculation-sedimentation, 598
Florida Bay, 279
fractal dimension, 199
freshwater outflow, 433
fructose diphosphate, 482
Fulica americana, 428
fumarate hydratase, 482
Fundulus heteroclitus, 319
Fundulus majalis, 319
Fundulus sp., 326
fungi, 241
furans, 264

Gambusia affinis, 319
Gambusia sp., 326
gastropods, 241, 379
genetic identity estimates, 482
genetic structure, 482
geochronology, 351
gizzard shad, 326
Gloucester Point, Virginia, 326
glucose-6-phosphate dehydrogenase, 482
glyceraldehyde-3-phosphate dehydrogenase, 482
glycyl-leucine peptidase, 482
grapsid crabs, 591
ground culture, 43
growth rates, 390, 527
Gulf Coast, 207, 579
Gulf of Mexico, 10, 469, 509, 579, 636

habitat loss, 2
habitat shift, 43
habitat use, 390
habitats, 379
Halodule wrightii, 271, 418
Haminoea virescens, 91
hardshell clam habitat, 91
Harpacticus spinulosus, 43
Harpacticus spp., 43
heavy metals, 445
Hemigrapsus nudas, 91
herbivore densities, 409
herbivorous crabs, 591
Heterolaophonte hamondi, 43
Heterolaophonte longisetigera, 43
Heterolaophonte sp., 43
high marsh, 648
hooked mussel, 445
Huanghe River, Asia, 494
Hudson Estuary, New York-New Jersey, 250
Hudson River, New York, 335
Huntemannia jadensis, 43
hydrologic transport, 568
hydrological flushing, 568
hydromedusa, 362
hydroperiod, 579
hypersaline estuary, 456

Iceland, 81
Ilyanassa spp., 124
impacts of aquaculture, 124
inorganic nutrient export, 598
inorganic nutrients, 145
inorganic phosphorus release, 518
input-export budget, 285
intensive shrimp farming, 116
intertidal aquaculture, 43
intertidal habitat, 390
intertidal low marsh, 648
intertidal sediments, 556
introduced species, 409
inwelled nutrients, 622
Ireland, 81
Ischadium recurvum, 445
isocitrate dehydrogenase, 482
isopods, 379
isozyme systems, 482

Kaoping River, Taiwan, 234
Kelvin number, 509
killifish(es), 319, 326
Kissimmee River, Florida, 598

Labidocera aestiva, 250
lactate dehydrogenasem, 482
Laguna Madre, Texas, 271
Lake Barre, Louisiana, 207
Lamprops quadriplicata, 43
landscape, 43
large river mouths, 509
larval mortality, 527
larval viability, 527
lead-210, 351
leaf consumers, 591
leaf elongation, 418
leaf litter, 591
Leiostomus xanthurus, 319, 326
LENKA (Norway), 81
Lepidogobius lepidus, 91
Leptochelia savignyi, 43
Leucon sp., 43
levees, 10
life-history stage, 319
light absorption, 418
light reduction, 418
Longipedia sp., 43
low-rate sand filtration, 116
Lunenburg Bay, Nova Scotia, 124

Macoma sp., 91
macrofauna, 379
macroinvertebrates, 379
Maine, 81
malate dehydrogenase, 482
managed production, 1
management, 2, 18, 43, 636
mangrove areas, 591
Manila clam, 91
mariculture, 10
marsh management, 2, 10, 180
marsh physiography, 319
marsh stability, 207
mass balance, 556
Matagorda Bay, Texas, 255
material inputs, 598
mathematical commonalities, 199
Mediterranean Sea, 636
megalopae, 255
menhaden, 180, 326
Menidia menidia, 326
Mermentau Basin, Louisiana, 180
Mesochra sp., 43
meteorological effects, 579
Microarthridion littorale, 43
Micropogon undulatus, 319, 326
mineral speciation, 234
mineralization, 219, 241
mirid bug, 409
Miskito Bank, Nicaragua, 509
Mississippi River, 207, 494, 509
mixing, 509
modeling, 341
models, 598, 648
molluscs, 108
mollusks, 18
Morone saxatilis, 250, 326, 527
mosquitofish, 319
mud-flat, 379
Mugil cephalus, 326
Murray River, Australia, 591
Musculus senhousia, 91
mussel beds, 71
mussel culture, 71, 124
mussel(s), 18, 43, 71, 622
Mya arenaria, 91
Myriophyllum spicatum, 428
Mytilus edulis, 71, 124, 379
Mytilus trossulus, 124

Nannopus palustris, 43
Nassarius sp., 91
National Estuaries Program, 2
National Status and Trends Program, 2
Nauset Marsh, Massachusetts, 379
Navesink River, New Jersey, 250
Neches River, Texas, 264
nekton, 579
nemertean worms, 91
Neosarmatium crassum, 591
Nephtys neotena, 124
net-pen culture, 145
New Brunswick, Canada, 81
Newark Bay, New Jersey, 351

nitrate, 399
nitrification, 399
nitrogen, 285
nitrogen cycle, 399
nitrogen remineralization, 219
nitrogen-pulsed systems, 622
North Inlet, South Carolina, 556
northeast Australia, 591
Norway, 81
Nova Scotia, Canada, 124
Nucula tenuisulcata, 124
numerical modeling, 341
nursery habitat, 379
nutrient burial rates, 285
nutrient cycling, 518
nutrient flux, 285
nutrient loading, 285
nutrients, 219, 285, 341, 418, 518, 622

Oakland Bay, Washington, 91
Oithona helgolandica, 43
oligochaetes, 379
Oncorhynchus, 81
organic carbon export, 598
organic matter flux, 207
organic matter, 145, 598
organic matter inputs, 598
orthophosphate, 568
osmoregulation, 556
osmotic stress, 648
ovarian development, 469
overexploitation, 71
overland flow, 598
oxidation-reduction potential, 518
oxygen demand, 108
oxygen-deficient conditions, 234
oysters, 18, 43

Pacific Northwest, 43
Pagurus sp., 91
Panopeus herbstii complex, 591
Paracalanus crassirostris, 250
Paracalanus sp., 43
Paracalliopiella pratti, 43
Paralaophonte congenera, 43
particulate matter, 518
particulate organic carbon, 598
particulate phosphorus, 518
Passaic River, New Jersey, 351
Patuxent River, Maryland, 285, 445, 527
pelagic community, 622
Peltandra virginica, 568
Penaeus vannamei, 116
Pfiesteria piscicida, 373
Phaeosphaeria spartinicola, 241
phosphate, 341, 518
phosphoglucomutase, 482
phosphogluconate dehydrogenase, 482
phosphorus, 285
phosphorus dynamics, 518
phosphorus loading, 518
photosynthesis, 456
photosynthetic pigments, 418
phytoplankton, 71
phytoplankton biomass, 456
Pinnixa sp., 91
plankton, 81
plant hopper, 409
plumes, 509
Podon leuckarti, 43
point sources, 285, 445
policy setting, 2
pollution, 25, 43, 71, 81, 116, 445
polychaetes, 379
pond water quality, 116
Pontogeneia sp., 43
population structure, 482
porewater, 399, 418, 556, 568
porewater solutes, 568
portunid zoea, 255
Potomac River, 285
predators, 81
primary production, 207, 271, 279, 418
Prokelisia marginata, 409
Pseudocalanus sp., 250
Pseudodiaptomus coronatus, 250
Puget Sound, Washington, 43, 91, 390
pulsed ecosystems, 545, 547
pulsing ecosystem, 579
pulsing events, 636
pulsing systems, 648
Purari River, Indo-Pacific, 494
purine-nucleoside phosphorylase, 482

Rangia cuneata, 264
Rappahannock River, Virginia, 341
Raritan Estuary, New York-New Jersey, 250
rates of egg extrusion, 469
recruitment, 91
recruitment potential, 527
red drum, 319, 326
restored salt marsh, 399
Rhine Delta, 509
ring-necked ducks, 428
river sediments, 494
Robertsonia sp. cf knoxi, 43
Rockefeller Wildlife Refuge, Louisiana, 469
Rookery Bay, Florida, 591
runoff, 598
Ruppia maritima, 379

salinity, 335, 341, 433, 456, 518
salinity extremes, 556
Salmo, 81
salmon, 18, 81, 145
salmon farms, 81
salt-marsh fauna, 326
San Francisco Bay, California, 219, 409
sand-flat, 379
Sapelo Island, Georgia, 241
Sciaenops ocellatus, 319, 326
Scotland, 81
Scottolana canadensis, 43
sea trout, 180
Sea Grant, 2
sea-level rise, 636, 648
seagrass, 279, 379, 418
seasonal dynamics, 362
seawater intrusion, 207
secondary production, 241
sediment(s), 219, 494, 568, 598, 636, 648
sediment accretion, 351
sediment discharge, 494
sediment flux, 285, 518
sediment geochemistry, 145
sediment oxygen demand, 124
sediment redox, 518
sediment transport, 494
sedimentation, 285, 456
sedimentology, 351
seedlings, 409
selenium, 234
semidiurnal variability, 433
Senegal, West Africa, 456
Sesarma borneenis, 591
Sesarma brevicristatum, 591
Sesarma brevipes, 591
Sesarma curacaoense, 591
Sesarma juveniles, 591
Sesarma messa, 591
Sesarma semperi-longicristatum, 591
shellfish, 124
shoot production, 271
shorelines, 199
Shrewsbury River, New Jersey, 250
shrimp, 18
shrimp farming, 25
shrimp ponds, 116
silver, 445
simulation models, 622
size-frequency distribution, 362
Skokomish River, Washington, 432
smooth cordgrass, 409
snow geese, 428
Southampton Water, United Kingdom, 362
southwest Florida, 591
Spain, 622
Spartina alterniflora, 207, 241, 399, 409
Spartina patens, 207
species abundance, 91
species composition, 547
species diversity, 91
spot, 319, 326
spotted seatrout, 319, 326
St. Lawrence Estuary, 433
St. Lawrence River, 433
standing crop, 241
starch gel electrophoresis, 482
Stenhelia peniculata, 43
Stenhelia sp., 43
Stenhelia sp. A, 43
stick diagram, 145
storm runoff, 598
stratification, 433
striped bass, 250, 326, 527
striped mullet, 326
submerging marsh, 207
submersed aquatic plants, 648
submersed macrophytes, 428
subsidence, 207
substrate additive, 91
subtropical seagrasses, 418
suction sampling, 379
sulfide toxicity, 648
superoxide dismutase, 482
surface irradiance, 418
surface topography, 319
suspended matter, 71
suspended mussel culture, 124
suspended particulate matter, 518
suspended sediments, 636
Susquehanna River, Maryland, 285
Swans Island, Maine, 145

Tachidius triangularis, 43

Taiwan, 234
Tapes philippinarum, 91
Taylor Bayou, Texas, 264
technology, 18
Telmessus cheiragonus, 91
Temora longicornis, 250
Temora turbinata, 250
temperature effects, 527
Terrebonne Bay, Louisiana, 207
terrestrial sources, 285
Thais sp., 91
Thalassia, 279
Thalassia testudinum, 418
The Netherlands, 71
Thermodynamic modelling, 456
threadfin shad, 326
tidal cycle, 433
tidal forcing, 579
tidal freshwater marshes, 547
tidal freshwater, 568
Tisbe spp., 43
titrimetric method, 279
Tomales Bay, California, 518
Tomioka Bay, Japan, 108
Toothacher Cove, Maine, 145
Tortanus discaudatus, 250
total dissolved inorganic phosphorus, 518
total inorganic nitrogen, 341
total nitrogen, 285
total organic carbon, 598
total phosphorus, 518
toxic dinoflagellate, 373
trace elements, 445
transplanted marsh, 399
trawl samples, 180
Trigonotylus uhleri, 409
tropical storms, 250
tropical systems, 456
Typhlamphiascus pectinifer, 43

Uca coarctata, 591
Uca juveniles, 591
Uca longisignalis, 469
Uca rapax, 591
Uca spinicarpa, 469
Upogebia pugettensis, 91
upwelled nutrients, 622
upwelling, 622
urbanization, 598

vegetation, 556
vegetative growth rates, 409
Vermilion Bay, Louisiana, 180
Virginia Coastal Reserve, 648

Waddell Mariculture Center, South Carolina, 116
Washington (state), 81
water conservation, 556
water discharge, 494
water exchange, 341
water quality, 341
water residence time, 598
water use, 25
water withdrawal, 432
water-control structures, 10
waterfowl, 428
watershed, 2
wetland management, 25
wetland sediment, 568
wetlands, 547, 568, 636, 648
wetlands restoration, 10
widgeon grass, 379
Willapa Bay, Washington, 43
William Eugene Odum, 545

York River, Virginia, 319, 326

Zaus spp., 43
zooplankton, 250, 255, 362
zooplankton densities, 527
Zostera marina, 390